

Horațiu Dan

Bucharest, Romania

R&D Software Developer

Software Craftsman

Blog













https://imhoratiu.wordpress.com

Today To Dos

API Perspectives


'Sunseting' and 'Deprecation'

• Effectively leverage 'Sunset' and 'Deprecation' HTTP headers

Context

APIs = software products ——— lifecycle

Resource = the target of an HTTP request *



^{*} RFC7231 - HTTP/1.1: Semantics and Content

API Perspectives

 technically done right **RATIONAL** functionally correct brain produces value body communication **RELATIONAL** & interface sensors respectful promise **EMOTIONAL** orchestrates heart tranquility & conflict

Deprecation and Sunsetting

Deprecation

Resource is still operational but no longer recommended

Sunsetting

- Resource is decommissioned, not reachable any longer
 - Temporary (short or long term)
 - Effectively ends deprecation



Concerns

Temporary Resource Handling

'Sunset' HTTP header

Resource Retention

Resources Deprecation

→ 'Sunset' + 'Deprecation' HTTP headers

'Deprecation' and 'Sunset' HTTP Headers

Optional response headers

Deprecation - <u>Draft</u>


• Sunset - RFC8594

Sunset: 31 Dec 2022 00:00:00 UTC

Demo Project - Argus


Domain - Review

Review Status




Endpoints

- GET /reviews
- GET /reviews/{id}



Salvador Dali, 'Argus', France, 1963




Words sound, deeds thunder. Let's code ...

Voxxed Days Romania, Bucharest 2021 - Respectful REST APIs by @horatiucd


Use Case

- If a DRAFT review is not opened within 2 days, it is deleted.
 - = Temporary Resource Handling
- A CANCELLED review is kept for 1 year, then purged.
 - = Resource Retention



Solution

'Sunset' HTTP header is present for each DRAFT or CANCELLED review.




Interpretation \rightarrow "After the sunset date, the resource is not available anymore"

Let's code ...

Concerns:

- Temporary resources
- Resource retention






Use Case

- 'Get all reviews' REST operation is replaced.
 - = Resource Deprecation

GET /reviews

GET /reviews/search?filter=pattern



Solution


Phase 1 - GET /reviews response contains the 'Deprecation' and 'Link' headers.

Interpretation → "The endpoint is (will be) deprecated since (at); alternative and details are provided"

Solution

Phase 2 - GET /reviews response additionally contains the 'Sunset' header.

Interpretation → "The endpoint is responsive until this date, then decommissioned."



All in All

APIs:

- shall be technically correct
 - keep the promise to the clients and never break the contract

- should be respectful, courteous
 - include hints that make contract more "pleasant"

"It's nice to be important, but more important to be nice." – Roger Federer

Resources

- RFC8594 The Sunset HTTP Header Field https://tools.ietf.org/html/rfc8594
- draft-dalal-deprecation-header-03 The Deprecation HTTP Header Field https://tools.ietf.org/html/draft-dalal-deprecation-header-03
- "An API is a promise", by Erik Wilde, December 16th, 2020 https://apifriends.com/api-management/an-api-is-a-promise/
- Source Code https://github.com/horatiucd/argus

Thank you!

Source Code - https://github.com/horatiucd/argus

- @horatiucd
- in https://www.linkedin.com/in/horatiucd/
- horatiucd@gmail.com